INTRODUCTION

Zhejiang Yongyuan Valve Co., Ltd, which was previously a State-owned enterprise of Zhejiang Yongkang valve factory that founded in 1967 with a history of almost 50 years, is one of the key enterprises of valve manufacturing in Zhejiang Province. We manufacture ball valves, globe valves, gate valves, butterfly valves, check valves, including some valve parts, and the products are mainly used in petrolem, chemical industry. Since the reorganization in 2000, the company have made a great progress and got a sustained, fast and sound development.

The company covers an area of 60000 square meters, with 40000 square meters of workshop, with full lines of equipment from production, inspection to testing, like two lines of sand casting and two lines of investment casting, 208 sets of mechanical processing equipment. Our production capacity reaches 6800 tons for different kinds of high, medium and low pressure valves, with over 50 models and 600 kinds of specifications. The company attaches great importance to standardized management, and has successfully passed the ISO9001–2008 international quality system certification, ISO14001–2004 environmental management system certification, OHSAS18001–2007 occupational health and safety management system certification; and we get TS manufacture license (The national special equipment for pipeline and valve) in 2002, and API 6D (American Petroleum Institute) license in 2009.

Over the years, the company was focused on the valve manufacturing, adhering to the "delicacy and efficiency" development concept, and the principle of "Customer is the God, quality is the life", also actively advocates the spirit of "craftsmen". And in practice, the company insists on prudent management, continuous innovation, openning up and cooperation, in order to form its own unique production technology management system, and provide users with high-quality sevices. The company has gained the reputation of outstanding enterprises in Zhejiang Province, and also got feedback from customer's satisfaction and rewards of excellent business performance. Nowadays we're one of the council members of China Valve Association, and one of the compilation enterprises of National Ball Valve Standard, designated as one of the best Chinese chemical equipment suppliers. We will keep effort on improving product quality with the customers all over the world.










ZHEJIANG YONGYUAN VALVE CO.,LTD. Add: NO.87-89, MINGYUAN NORTH AVENUE, ECONOMIC DEVELOPMENT ZONE, YONGKANG, ZHEJIANG PROVINCE P.C.: 321300

Tel: 0086-579-87152588/87152688/87151549 Fax: 0086-579-87151442 Http://www.zjyyvalve.com/

E-mail:cnyvc@cnyvc.com





YONGYUAN VALVE TURNING THE FLOW THE WAY YOU NEED IT TO GO





TRUNNION BALL VALVE SIZE:2" 3" 4" 6" FULL PORT API6D BODY A216 WCB CLASS 150LB 300LB 600LB ANSI B16.34/B16.5/BS5315 API6FA/API598/ANTI-STATIC NACE MR0175



YFBT SERIES

TRUNNION BALL VALVE SIZE:2" 3" 4" 6"

FULL PORT API 6D BODY A216 WCB CLASS 150LB 300LB 600LB ANSI B16.34/B16.5/BS5351 API 6FA/API598/ANRI-STATIC NACE MR0175



FLOATING BALL VALVE SIZE: 1/2" ~10" FULL PORT API 6D BODY A216 WCB CLASS 150LB ANSI B16.34/B16.5/BS5351 API 6FA/API 598/ANTI-STATIC NACE MR0175



TRUNNION BALL VALVE SIZE:2" 3" 4" 6" FULL PORT API6D BODY A216 WCB CLASS 150LB 300LB 600LB ANSIB16.34/B16.5/BS5351 API 6FA/API 598/ANTI-STATIC NACE MR0175



FLOATING BALL VALVE SIZE:2" 3" 4" 6" FULL PORTAPI 6D BODY A216 WCB CLASS 150LB 300LB 600LB ANSI B16.34/B16.5/BS5351 API 6FA/API 598/ANTI-STATIC NACE MR0175



YFBF-RTJ SERES

FLOATING BALL VALVE SIZE:2" 3" 4"

FULL PORT API 6D BODY A216 WCB CLASS 150LB 300LB 600LB ANSI B16.34/B16.5/BS5351 API 6FA/API 598/ANTI-STATIC NACE MR0175



YFBF-600LB SERIES

FLOATING BALL VALVE SIZE:3" X2" 2"X1.5"

REDUCED PORT API 6D BODY A216 WCB CLASS 600LB ANSI B16.34/B16.5/BS5351 API 6FA/API 598/ANTI-STATIC NACE MR0175



FLOATING BALL VALVE SIZE:2" 2-1/2" 3" 4"6"8" FULL PORT API 6D BODY A216 WCB CLASS 300LB ANSI B16.34/B16.5/BS5351 API 6FA/API 598/ANTI-STATIC NACE MR0175



FLOATING BALL VALVE SIZE:1" 2" 3" 4" FULL PORT API 6D BODY A216 WCB CLASS 600LB ANSI B16.34/B16.5/BS5351 API 6FA/API 598/ANTI-STATIC NACE MR0175



FLOATING BALL VALVE SIZE:1"-6" FULL PORT BODY A351 CF8 JIS 10K JIS B2002/JIS B2003/ISO5211 AP1598 NACE Mr0175



YEJEP SERIES

FLOATING BALL VALVE SIZE:1/2"~10" FULL PORT BODY CAST IRON JIS 10K JIS B2002/JIS B2212/ISO5211 API 598 NACE MR0175



YFDFP SERIES

FLOATING BALL VALVE SIZE:1/2"-10" FULL PORT BODY CAST IRON PN16 DIN 3202/DIN 2501/ISO5211 API 598 NACE MR0175



FLOATING BALL VALVE SIZE:1/2"~8" FULL PORT API 6D BODY A351 CF8M CLASS 150LB 300LB 600LB ANSI B16.34/B16.5/BS5351 API 6FA/API 598/ANTI-STATIC NACE MR0175



FLOATING BALL VALVE SIZE:1/2" ~10" FULL PORT BODY CAST IRON JIS 10K JIS B2002/JIS B2212 API 598 NACE MR0175



FLOATING BALL VALVE SIZE:1/2" -10" FULL PORT BODY CAST IRON PN16 DIN 3202/DIN 2501 API 598 NACE MR0175



FLOATING BALL VALVE SIZE:2" 3" 4" 6"8"10" FULL 2"~6", REDUCED 8"10" CLASS 125LB BODY A126 CLASS B BALL STEEP PTFE/BALL STAINLESS STEEL ANSI B16.34/B16.1/API607/API598 NACE MR0175



FLOATING BALL VALVE SIZE:1/2"~10" FULL PORT BODY CAST IRON CLASS 125/150 ANSI B16.34/B16.1 API 598 NACE MR0175



FLOATING BALL VALVE SIZE:1/2" -10" FULL PORT BODY CAST IRON PN16 BS 5259/BS 4504 API 598 NACE MR0175





CWP 2000-5000WOG CS BALL VALVE SIZE:2"(5000WOG)3"(3000WOG)4"(2000WOG) REDUCED PORT BODY A216 WCB ANSI B16.34/API598 LUBE/FITTING WITH LOCKING HANDLE

NACE MR0175



CWP 1000-2000WOG DI BALL VALVE SIZE:2" 3" (2000WOG)4"(1000WOG) REDUCED PORT BODY A395 DI ANSI B16.34/API598 LUBE/FITTING WITH LOCKING HANDLE NACE MR0175



CWP.3000-5000WOG CS BALL VALVE SIZE:1"(5000WOG) 2" 2-1/2"3" 4"(3000WOG) FULL PORT BODY A216 WCB ANSI B16.34/API598 LUBE/FITTING WITH LOCKING HANDLE NACE MR0175



YBAD-M SERIES

CWP 750~1000WOG DI BALL VALVE SIZE:3" **FULL PORT** BODY A395 DI ANSI B16.34/API598 LUBE/FITTING WITH LOCKING HANDLE NACE MR0175



YBAC-8RD SERIES

CWP 3600WOG CS BALL VALVE SIZE:2-3/8" 2-7/8" FULL PORT BODY A216 WCB ANSI B16.34/API598 LUBE/EITTING WITH LOCKING HNDLE NACE MR0175



YBAS-8RD SERIES CWP 3600WOG SS BALL VALVE

SIZE:2-3/8" 2-7/8" FULL PORT BODY A351 CF8M ANSI B16.34/API598 LUBE/FITTING WITH LOCKING HANDLE NACE MR0175



CWP 2000WOG DI BALL VALVE SIZE:2RP 2FP REDUCED PORT/FULL PORT BODY A395 DI ANSI B16,34/API598 LUBE/FITTING WITH LOCKING HANDLE NACE MR0175



YBBS-R/F SERIES

CWP 3000WOG CS BALL VALVE SIZE:2RP 2FP 3FP REDUCED PORT/FULL PORT BODY A216 WCB ANSI B16.34/API598 LUBE/FITTING WITH LOCKING HANDLE NACE MR0175



YBBS-F SERIES

CWP 5000WOG CS BALL VALVE SIZE: 2RP 2FP REDUCED PORT BODY A487 4C ANSI B16.34/API598 LUBE/FITTING WITH LOCKING HANDLE NACE MR0175



CWP 1000-2000WOG DI BALL VALVE SIZE:1"2"2-1/2"3"4" **FULL PORT** BODY A395 DI ANSI B16.34/API598 LUBE/FITTING WITH LOCKING HANDLE NACE MR0175



CWP 1000-1500WOG DI GROOVED END BALL VALVE SIZE:2" 3" 4"(1000WOG)6"(1500WOG) REDUCED PORT BODY A395 DI ANSI B16.34/API598 LUBE/FITTING WITH LOCKING HANDLE NACE MR0175



CWP 2000WOG 2PC SS BALL VALVE SIZE:1/4" ~2" FULL PORT BODY A351 CF8M ANSI B16.34/API598 WITH LOCKING HANDLE SEAL WELDED OPTIONAL NACE MR0175



CWP 2000WOG 2PC CS BALL VALVE SIZE:1/4" -2" FULL PORT BODY A216 WCB ANSI B16.34/API598 WITH LOCKING HANDLE NACE MR0175



YBES SERIES

CWP 1000WOG1PC SS BALL VALVE SIZE:1/4"~2" REDUCED PORT BODY A351 CF8M ANSI B16.34/API598 WITH LOCKING HANDLE NACE MR0175



YBFC SERIES

CWP-2000WOG1PC BAR STOCK BALL VALVE SIZE:1/4" -2" REDUCED PORT BODY A108 ANSI B16.34/API598 NACE MR0175



FLANGED CHECK VALVE SIZE:2"3"4"6"8"10"12" FULL OPEN API 6D CLASS 150LB BODY A216 WCB DISC/CF8M, SEAT/VITON ANSI B16.5/B16.34/API 598 NACE MR0175



FLANGED CHECK VALVE SIZE:2"3"4"6"8"10"12" FULL OPEN API 6D CLASS 300LB BODY A216 WCB DISC/CF8M, SEAT/VITON ANSI B16.5/B16.34/API 598 NACE MR0175



YFKA-600LB SERIES

FLANGED CHECK VALVE SIZE:2"3"4"6"8"10"12" FULL OPEN API 6D CLASS 600LB BODY A216 WCB DISC/CF8M, SEAT/VITON ANSI B16.5/B16.34/API 598 NACE MR0175





300-2000WOG CHECK VALVE SIZE:1"2"2.5"3"4" FULL OPEN **BODY A395 DUCTILE IRON** DISC CF8M, SEAT VITON ANSI B1.20.1(NPT)/B16.34 NACE MR0175



YKAC-L SERIES

300-3600WOG LONG CHECK VALVE SIZE:1"2" **FULL OPEN** BODY A216 WCB DISC CF8M, SEAT VITON ANSI B1.20.1(NPT)/B16.34 NACE MR0175



YKBC SERIES

3000-5000WOG BALL CHECK VALVE SIZE:1" 2" **FULL OPEN** BODY A216 WCB DISC 316SS, SEAT VITON ANSI B1.20.1(NPT)/B16.34 NACE MR0175



300-5000WOG CHECK VALVE SIZE:1" 2" 3" FULL OPEN BODY A216 WCB DISC CF8M, SEAT VITON ANSI B1.20.1(NPT)/B16.31 NACE MR0175

YKAD-L SERIES

BODY A395 DUCTILEIRON

DISC CFBM.SEAT VITON

ANSI B1.20.1(NPT)/B16.34

SIZE:1"2"

FULL OPEN

NACE MR0175

380-2000WOG LONG CHECK VALVE



300WOG GROOVED END CHECK VALVE SIZE:2" 3" 4"6" FULL OPEN BODY A395 DUCTILE IRON DISC 316SS+VITON, GASKET SEALS BUNA ANSI/AWWA C606/B16.34 NACE MR0175



1000WOG GROOVED END CHECK VALVE SIZE: 2" **FULL POEN** BODY A351 CF8M DISC 316SS.SEAT VITON ANSI/AWWA C606/B16.34 NACE Mr0175



YKBD SERIES

1000-20000WOG BALL CHECK VALVE SIZE:1" 2" **FULL OPEN** BODY A395 DUCTILE IRON DISC 316SS, SEAT VITON ANSI B1.201(NPT)/B16.34 NACE MR0175



YKBS SERIES

3000-5000WOG BALLCHECK VALVE SIZE:1" 2" **FULL POEN** BODY A351 CF8M DISC 316SS, SEAT VITON ANSI B1.20.1(NPT)/B16.34 NACE MR0175



DISC SPRING WAFER CHECK VALVE SIZE:2"3"4"6"8" 10"12" SINGLE REDUCED BORE CLASS 150 300 600 BODY A216 WCB DISC/CF8M, SEAT/HNBR ANSI B16.34/API 598 NACE MR0175



200WOG GROOVED END BUTTERFLY VALVE FULL OPEN BODY A395 DUCTILE IRON DISC:ALUMINUM BRONZE/STAINLESS STEEL 316 ANSI/AWWA C606/B16.34



YWA SERIES

LASS 125 ALLIGNMENT BUTTERFLY VALVE SIZE:2"~12" BODY DUCTILE IRON SEAT BUNA/VITON DISC 316 SS/NPDI ALUMINIUM/BRONZE



LIFT CHECK VALVE SIZE:3/8"~2" CONVENTIONAL PORT FORGED STEEL A105 TRIM CR13SS CLASS 800 API 602/598 ANSI B1.20.1(NPT)/B16.34 NACE MR0175

GATE VALVE SIZE:1/2"-21/2" CONVENTIONAL PORT FORGED STEEL A105 TRIM CR13SS

CLASS 800 API 602/598 ANSI B1.20.1(NPT)/B16.34 NACE MR0175

CLASS 125 LUG BUTTERFLY VALVE SIZE:2""12" BODY DUCTILE IRON SEAT BUNA/VITON DISC 316SS/NPDI

ALUMINIUM/BRONZE



CONVENTIONAL PORT FORGED STEEL A105 TRIM CR13SS CLASS 800 API 602/598 ANSI B1.20.1 (NPT)/B16.34 NACE MR0175



YSB SERIES

GLOBE VALVE SIZE: 1/2" ~ 2" CONVENTIONAL PORT FORGED STEEL A105 TRIM CR13SS CLASS 800 API 602/598 ANSI B1.20.1(NPT)/B16.34 NACE MR0175



CLASS 125 WAFER BUTTERFLY VALVE SIZE:2**12" BODY DUCTILE IRON SEAT BUNA/VITON DISC 316SS/NPDI ALUMINIUM/BRONZE